

TECHNICAL SUPPORT

Our technical support team stands ready to assist you with your technical questions regarding your SAF-T-LOK products. On-Site support when necessary within 24 hours.

PART NUMBERS

82537	8oz
82557	16oz
82565	10lb

TURNKEY SOLUTIONS

As an ISO 9001:2015 certified company, SAF-T-LOK can design or refine products to fit your company's specific needs and requirements.

For more information on any of our products or services please visit us on the Web at: www.saftlok.com

PRODUCT DESCRIPTION:

SAF-T-EZE Pipe Seal is a non-drying, sealing compound. The product has a paste consistency and is used where resistance to chemicals is needed. **SAF-T-EZE Pipe Seal** can be applied just prior to assembly, is non-staining and withstands pressures to 10,000 psi.

GENERAL INFORMATION:

SAF-T-EZE Pipe Seal compound is used where leak resistance is necessary. It can be used on services that contain gasoline, Kerosene, LP gases, oil, refrigerants/solvents, mild caustics, many weak acids, water, gas and steam. It can be used on pipes and threaded connections of all materials: iron, stainless steel, aluminum, brass, plastic, etc. **SAF-T-EZE Pipe Seal** is recommended for sealing joints larger than 3/4 inch in diameter. This paste sealant is self-lubricating in assembly.

PHYSICAL PROPERTIES:

Color:	White
Specific Gravity:	1.31 g/cc
Flash Point:	350°F
Temperature Range:	-100°F to 400°F

PACKAGING:

Available in 8oz Brush Top Cans, in 16oz Brush Top Cans, and 10lb Cans.

SHELF LIFE:

There is not change in consistency or appearance after one year in closed container.

CLEAN UP:

Alcohol or any petroleum derived solvent, such as paint thinner, naphtha, or petroleum distillate.

NOTE: This product is not recommended for use with pure oxygen systems.

IMPORTANT NOTICE: All statements and technical data contained herein are based on tests we believe to be reliable, but the accuracy of completeness thereof is not guaranteed. It is recommended that the buyer test this product to determine its suitability for his application before use. **SAF-T-LOK International Corporation** is not responsible for loss, claim or damages resulting from use of its products.