

SDS Revision Date:

01/07/2018

International Corporation

1. Identification

1.1. Product identifier

Product Identity Dielectric Silicone Compound

Alternate Names DG-5 81522, DG-40 81578, DG-40LV 81577

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useDielectric Silicone GreaseApplication MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148

Emergency

 CHEMTREC (USA)
 (800) 424-9300

 24 hour Emergency Telephone No.
 (703) 527-3887

 Customer Service: SAF-T-LOK International
 (630) 495-2001

Corporation

2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

SAF-T-LOK

SDS Revision Date:

01/07/2018

International Corporation

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Dimethylsiloxane CAS Number: 0063148-62-9	75 - 100	Not Classified	[1]
Silane treated silica CAS Number: 0068611-44-9	5 - 10	Not Classified	[1]
Polyoxyethylene Polyoxypropylene trimethylolpropane ether CAS Number: 0052624-57-4	1 - 5	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview May cause irritation of the respiratory tract, eyes, skin or mucous membranes.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date:

01/07/2018

International Corporation

5. Fire-fighting measures

5.1. Extinguishing media

Carbon Dioxide, Foam, Dry Chemicals.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon oxides and Formaldehyde

5.3. Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

ERG Guide No. -

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Handle in accordance with good industrial hygiene and safety practice.

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.

Wash contaminated clothing before reuse. Use PPE as required.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials: Strong oxidizing agents, acids and reducing agent.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)



SDS Revision Date:

01/07/2018

International Corporation

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
	Polyoxyethylene Polyoxypropylene trimethylolpropane ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0063148-62-9	Dimethylsiloxane	OSHA	No Established Limit
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
		Supplier	No Established Limit
0068611-44-9	Silane treated silica	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

8.2. Exposure controls

Respiratory Not required

Eyes Protective safety glasses recommended

Skin Not required, but if desired, use impermeable gloves (neoprene, butyl rubber, natural

rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron.

Wash hands before eating, drinking, or using restroom.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Have showers and eyewash stations close. Use good personal hygiene practices. Wash

hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and

wash thoroughly before reuse.



SDS Revision Date:

01/07/2018

International Corporation

9. Physical and chemical properties

Appearance

Odor

Odor threshold

Hq

Melting point / freezing point

Initial boiling point and boiling range

Flash Point

Evaporation rate (Ether = 1) Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapor pressure (Pa)

Vapor Density Specific Gravity Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature Decomposition temperature

Viscosity (cSt) VOC Content Relative Density

9.2. Other information

No other relevant information.

White Grease Solid

Mild

Not determined

No Information available No Information available No Information available >93°C / >199°F (T.C.C)

< 1

Not Applicable

Lower Explosive Limit: N/A Upper Explosive Limit: N/A

No Information available

(Air = 1): >1 Not Measured Negligible Not Measured Not Measured Not Measured

Not Measured

0 % 1.0

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

SAF-T-LOK

SDS Revision Date:

01/07/2018

International Corporation

10.5. Incompatible materials

Strong oxidizing agents, acids and reducing agent.

10.6. Hazardous decomposition products

Carbon oxides and Formaldehyde

11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Dimethylsiloxane - (63148-62-9)	17,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Silane treated silica - (68611-44-9)	5,000.00, Rat - Category: 5	No data available	No data available	0.477, Rat - Category: 2	No data available
Polyoxyethylene Polyoxypropylene trimethylolpropane ether - (52624-57-4)	>2,000.00, Rat - Category: 5	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value
-) -)		OSHA	Regulated Carcinogen: No
	trimethylolpropane ether	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0063148-62-9	Dimethylsiloxane		Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068611-44-9	Silane treated silica	OSHA	Regulated Carcinogen: No
			Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation		Not Applicable	
Serious eye damage/irritation		Not Applicable	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	

SAF-T-LOK

SDS Revision Date:

01/07/2018

International Corporation

Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

Air: This product is a high molecular weight liquid polymer which has a very low vapor pressure (<1 mm Hg). As a result, it is unlikely to become an atmospheric containment unless generated as an aerosol.

Water: This product has very low solubility (<100 ppb). As it has a specific gravity of < 1, if discharged to water, it will initially form a surface film. AS the product is non volatile and has a high binding affinity for particulate matter, it will absorb to particulates and sediment out.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Dimethylsiloxane - (63148-62-9)	>2,000.00, Fish	>2,000.00, Daphnia magna	>2,000.00 (72 hr), Algae
Silane treated silica - (68611-44-9)	10,000.00, Danio rerio	10,000.00, Daphnia magna	10,000.00 (72 hr), Scenedesmus subspicatus
Polyoxyethylene Polyoxypropylene trimethylolpropane ether - (52624-57-4)	10,000.00, Fish	Not Available	Not Available

12.2. Persistence and degradability

Degradation: This product, polydimethylsiloxane, degrades in soil abiotically to form smaller molecules. These in turn are either biodegraded in soil or volatilized into the air where they are broken down in the presence of sunlight. Under appropriate conditions, the ultimate degradation products are inorganic silica, carbon dioxide and water vapor. Due to the very low solubility of this product, standard OECD protocols for ready and inherent biodegradability are not suitable for measuring the biodegradability of this product. The product is removed >80% during the sewage treatment process.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

Soil: If discharged to surface water, this product will bind to sediment. If discharged in effluent to a waste water treatment plant, the product is removed from the aqueous phase by binding to sewage sludge. If the sewage sludge is subsequently spread on soil the silicone product is expected to degrade.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects



SDS Revision Date:

01/07/2018

International Corporation

Environmental Effects: Toxicity to Water Organisms: Based on analogy to similar materials this product is expected to exhibit low toxicity to aquatic organisms.

Toxicity to Soil Organisms: Experiments show that when sewage sludge containing polydimethylsiloxane is added to soil, it has no effect on soil micro-organisms, earthworms or subsequent crops grown in the soil.

Bioaccumulation: This product is a liquid and is a high molecular weight polymer. Due to its physical size it is unable to pass through, or be absorbed by biological membranes. This has been confirmed by testing or analogy with similar products.

Fate and Effects in Waste Water Treatment Plants

This product or similar products has been shown to be non-toxic to sewage sludge bacteria.

Ecotoxicity Classification Criteria

Hazard Parameters (LC50 or EC 50) High Medium Low Acute Aquatic Toxicity (mg/L) <=1 >1 and <=100 >100 Acute Terrestrial Toxicity <=100 >100 and <=2000 >2000 This table is adapted from "Environmental Toxicology and Risk Assessment", ASTM STP 1179, p.34, 1993.

This table can be used to classify the ecotoxicity of this product when ecotoxicity data is listed above. Please read the other information presented in the section concerning the overall ecological safety of this material.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

No further information

15. Regulatory information

SAF-T-LOK

SDS Revision Date:

All components of this material are either listed or exempt from listing on the TSCA

01/07/2018

International Corporation

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA)

Inventory.

WHMIS 1988 Classification

Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): No

Delayed (Chronic): No

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information



SDS Revision Date:

01/07/2018

International Corporation

SDS Revision Date 06/29/2017

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not applicable

The information on this safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

End of Document