

SDS Revision Date:

11/26/2018

# 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity SAF-T-LOK PIPE SEAL

Alternate Names Part Numbers: 82537, 82557, 82565

Product Type: PIPE SEALANT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Pipe Sealing

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148

**Emergency** 

 CHEMTREC (USA)
 (800) 424-9300

 24 hour Emergency Telephone No.
 (703) 527-3887

 Customer Service: SAF-T-LOK International
 (630) 495-2001

Corporation

# 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

Label Words: Not Required Pictogram: Not required

#### [Prevention]:

P273 Avoid release to the environment.

## [Response]:

P391 Collect spillage.

#### [Storage]:

No GHS storage statements

### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.



SDS Revision Date:

11/26/2018

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Petroleum distillates, hydrotreated heavy naphthenic CAS Number: 0064742-52-5	50 - 75		[1]
Titanium dioxide CAS Number: 0013463-67-7	1.0 - 5.0		[1][2]

<sup>[1]</sup> Substance classified with a health or environmental hazard.

## 4. First aid measures

## 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview

Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of unprotected skin.

Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may occur.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product may enhance allergies already present in certain individuals.

This product does not require exceptional labeling due to the evaluation procedure of the "General Classification guideline for preparations of the EU". See section 2 for further

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.



**SDS Revision Date:** 

11/26/2018

details.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: None

### 5.3. Advice for fire-fighters

Air mask and procedures for fighting chemical fires. Do not inhale gases.

ERG Guide No. ---

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Prevent material from entering floor drains, sewers, or any bodies of water.

Scoop up into waste container or soak up with absorbent material. Store in a closed container until disposal.

# 7. Handling and storage

#### 7.1. Precautions for safe handling

No special precautions necessary if used properly. Avoid breathing vapors. Wash hands thoroughly at mealtime and end of shift.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Isolated storage facility/ warehouse not required. Store in a cool, dry location (60-90°F) in a well-ventilated area in original container. Keep container tightly closed when not in use.

Incompatible materials: No data available.

See section 2 for further details. - [Storage]:

## 7.3. Specific end use(s)

None



SDS Revision Date:

11/26/2018

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

International Corporation

#### **Exposure**

CAS No.	Ingredient	Source	Value
0064742-52-5 Petroleum ditillates, hydrotreated heavy naphthenic		OSHA	No Established Limit
	ACGIH	No Established Limit	
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
0013463-67-7 Titanium dioxide	OSHA	TWA 10 mg/m <sup>3</sup>	
	ACGIH	TWA 15 mg/m <sup>3</sup>	
	Titanium dioxide	NIOSH	No Established Limit
		Supplier	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0064742-52-5 Petroleum distillates, hydrotreated heavy naphthenic	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
			Select Carcinogen: Listed		
0013463-67-7 Titanium dioxide	NTP	Known: No Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;		

#### 8.2. Exposure controls

**Respiratory** No respiratory protection required, but normal good ventilation is recommended. Forced

ventilation may be required if concentrations exceed normal use exposure.

**Eyes** Not required if application method is proper. Avoid contact with eyes.

**Skin** Wear overalls to keep skin contact to a minimum. Use impermeable gloves (neoprene,

butyl rubber, natural rubber), as necessary to avoid skin contact, as well as proper clothing

or plastic apron. Wash hands before eating, drinking, or using restroom.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Eye wash stations should be located within 100 feet or 10 second walk of the work area.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:



# International Corporation

SDS Revision Date: 11/26/2018

## 9. Physical and chemical properties

White Paste

Appearance Odor

Odor Mild/Inoffensive
Odor threshold Not Measured
pH Not Determined

Melting point / freezing point Not Determined
Initial boiling point and boiling range Not Determined

Flash Point 350 C (C.O.C.)

Evaporation rate (Ether = 1) Not Determined

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Vapor pressure (Pa) < 5 @30 F (mm Hg.)

Vapor DensityN/ASpecific Gravity1.31Solubility in WaterInsoluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Not Measured

Not Measured

Not Measured

Viscosity (cSt)

Not Measured

VOC %

<0.1% (cut)

% Solid

30 - 50%

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

## 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Strong oxidizing agents

## 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

None



International Corporation

# Safety Data Sheet PIPE SEAL

SDS Revision Date:

11/26/2018

# 11. Toxicological information

## **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Petroleum distillates, hydrotreated heavy naphthenic (0064742-52-5)	5000 Rat Category: 5	2000 Rabbit Category: 4	No data available	No data available	No data available
Titanium dioxide (0013463-67-7)	10,000 mg/kg Rat	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Titanium dioxide: Possible carcinogen
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. Toxic to aquatic life with long lasting effects.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Petroleum distillates, hydrotreated heavy naphthenic (0064742-52-5)	5000 Oncorhynchus Mykiss	1000 Daphnia Magna	1000 (96hr) Scenedesmus subspicatus
Titanium dioxide (0013463-67-7)	5000 Brachydanio refio (96hr.)	7600 mg/L	440 mg/L (72hr.)



## International Corporation

SDS Revision Date: 11/26/2018

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

**DOT (Domestic Surface** 

Transportation)

14.1. UN number Not Applicable

14.2. UN proper shipping

name

**IMDG** 

14.3. Transport hazard

class(es)

**DOT Hazard Class: Not** 

Applicable

Not Regulated

DOT Label: ---

14.4. Packing group Not Applicable

14.5. Environmental hazards

Not Applicable 14.6. Special precautions for user

No further information

IMO / IMDG (Ocean Transportation) ICAO/IATA

Not Regulated

Not Regulated

Air Class: Not Applicable

Not Regulated

Environmentally hazardous substance,

liquid, N.O.S

IMDG: 9

Sub Class: Not Applicable

Not Applicable Not Applicable

# 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are

**Toxic Substance Control** 

Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

**WHMIS Classification** Not Regulated

**US EPA Tier II Hazards** Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No



# International Corporation

SDS Revision Date: 11/26/2018

EPCRA 311/312 Chemicals and RQs:

(No Product Ingredients Listed)

**EPCRA 302 Extremely Hazardous:** 

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:** 

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65- Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Penn RTK Substances (>1%):

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

End of Document