

GENERAL INFORMATION:

SAF-T-EZE Contact-Clean is designed to remove oxidation, carbon, grease, oil, dirt, and corrosion deposits on equipment. This special solvent leaves a clean, dry, surface. **SAF-T-EZE Contact-Clean** is fast drying, non-staining, non-conductive, and leaves no film or residue. Physical properties and performance equal to 1,1,1 trichloroethane. However, it is a flammable product.

PHYSICAL PROPERTIES:

Color:	Clear
Flash Point:	-20°F (CC)
Specific Gravity @25°C:	0.68 gm/cc

APPLICATION:

- Flushes dirt and oil away
- Cleans without rinsing
- No flash point
- Eliminates noise caused by dust and dirt

DIRECTIONS: For best results, spray at room temperature (70°F). Shake well before using. Spray liberally on items to be cleaned and allow dirt to flush off and solvent to evaporate.

COMPATABILITY:

PLASTICS:

- PVC
- Polyethylene
- Polypropylene
- Polyurethane
- Delran
- Ferine Resin
- Epoxy Resin
- PTFE
- Nylon

METALS:

- Aluminum
- Bronze
- Copper
- Cast Iron
- Carbon Steel
- Hastaloy (A, B, C)
- Chromium
- Lead
- Magnesium
- Naval Brass
- Nickel
- Platinum
- Silver
- Stainless Steel Tin
- Zinc

ELASTOMERS:

- Acrylonitrile-Butadiene
- Butadiene Nitrile
- Butadiene Styrene
- Chloroprene
- Fluoroelastomers (Viton A, B)
- Polysulfide
- Butyl
- Polysiloxane

IMPORTANT NOTICE: All statements and technical data contained herein are based on tests we believe to be reliable, but the accuracy of completeness thereof is not guaranteed. It is recommended that the buyer test this product to determine its suitability for his application before use. **SAF-T-LOK International Corporation** is not responsible for loss, claim or damages resulting from use of its products.

TECHNICAL SUPPORT

Our technical support team stands ready to assist you with your technical questions regarding your SAF-T-LOK products. On-site support when necessary within 24 hours.

PART NUMBERS

85556 CCA-11 11oz

TURNKEY SOLUTIONS

As an ISO 9001:2015 certified company, SAF-T-LOK can design or refine products to fit your company's specific needs and requirements.

For more information on any of our products or services please visit us on the Web at:
www.saflok.com