

SDS Revision Date: 01/07/2018

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity RTV Neutral Cure Silicone - Clear

Alternate Names Part Numbers: 73763, 73779,

Product Type: Silicone elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Silicone elastomer

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148

Emergency

 CHEMTREC (USA)
 (800) 424-9300

 24 hour Emergency Telephone No.
 (703) 527-3887

 Customer Service: SAF-T-LOK International
 (630) 495-2001

Corporation

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.
Carc. 2;H351 Suspected of causing cancer.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.





SDS Revision Date:

01/07/2018

International Corporation

Warning

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.



SDS Revision Date:

01/07/2018

International Corporation

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2-Butanone oxime CAS Number: 0000096-29-7	1.0 - 10	Carc. 2;H351 Acute Tox. 4;H312 Eye Dam. 1;H318 Skin Sens. 1;H317	[1]

^[1] Substance classified with a health or environmental hazard.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and **Eyes**

seek medical attention.

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a Skin

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Skin Contact: Immediately remove product with dry cloth or towel, and wash exposed area

with detergent.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes and promptly

call a physician.

Respiratory/ Inhalation: Remove to fresh air.

Ingestion: Wash out mouth with water provided person is conscious. Never give anything

by mouth to an unconscious person. Call a physician immediately.

Medical conditions generally aggravated by exposure: None known, however any chemical

product may enhance allergies already present in certain individuals.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on

duration and level of exposure.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.



SDS Revision Date:

01/07/2018

International Corporation

See section 2 for further details.

Eyes Causes serious eye irritation.

Skin May cause an allergic skin reaction.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Water or moisture can cause methylethylketoxime. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon Oxides, in completely burned carbon compounds, silicone dioxide, nitrogen oxides, formaldehyde.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Air mask and procedures for fighting chemical fires. Do not inhale gases.

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Prevent material from entering floor drains, sewers, or any bodies of water.

Scoop up into waste container or soak up with absorbent material. Store in a closed container until disposal.



SDS Revision Date:

01/07/2018

International Corporation

7. Handling and storage

7.1. Precautions for safe handling

Avoid breathing vapors. Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or humid air. Provide adequate ventilation during use to control exposure or use self contained breathing Apparatus. Wash hands thoroughly at mealtime and end of shift.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Isolated storage facility/ warehouse not required. Store in a cool, dry location (60-90°F) in a well-ventilated area in original container. Keep container tightly closed when not in use.

Incompatible materials: Water, moisture, or humid air.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

None

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000096-29-7	2-Butanone oxime	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000096-29-7	2-Butanone oxime	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		



SDS Revision Date:

01/07/2018

International Corporation

8.2. Exposure controls

RespiratoryUse air-supplied breathing apparatus unless local exhaust ventilation is adequate or

decomposed product is within AIHA guideline.

Eyes Safety goggles or glasses are recommended.

Skin Wear overalls to keep skin contact to a minimum. Use impermeable gloves (neoprene.

butyl rubber, natural rubber), as necessary to avoid skin contact, as well as proper clothing

or plastic apron. Wash hands before eating, drinking, or using restroom.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Methyl alcohol forms upon contact with water or humid air. Provide adequate ventilation to

control exposures within guidelines of OSHA PEL: TWA 200 ppm and ACGIH TLV – skin: TWA 200 ppm, STEL 250 ppm. Ethyl methyl ketoxime is formed upon contact with water or humid air. Provide adequate ventilation to control exposures within the following exposure guidelines. Vendor guide TWA: 3 ppm, STEL: 10 ppm, AIHA WEEL TWA: 10 ppm. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using

toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Paste

Odor Mild

Odor threshold Not Measured PH Not Measured

Melting point / freezing pointN/AInitial boiling point and boiling rangeN/AFlash PointND

Evaporation rate (Ether = 1) <1 (Butl Acetate =1)
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Vapor pressure (Pa)Negligible (25 C)Vapor Density>1 (Air = 1)Specific Gravity1.04 @ 25 CSolubility in WaterNot SolublePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot Measured



SDS Revision Date:

01/07/2018

International Corporation

Decomposition temperature Viscosity (cSt) VOC %

Not Measured Not Measured 3.85% (organic solvents) % (cut)

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Water, moisture, or humid air.

10.6. Hazardous decomposition products

Water or moisture can cause methylethylketoxime. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon Oxides, in completely burned carbon compounds, silicone dioxide, nitrogen oxides, formaldehyde.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
2-Butanone oxime - (96-29-7)	930.00, Rat - Category: 4	2,000.00, Rabbit - Category: 4	20.00, Rat - Category: 4	No data available	5,000.00, Rat - Category: 4

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).



SDS Revision Date:

01/07/2018

International Corporation

Classification	Category	Hazard Description		
Acute toxicity (oral)		Not Applicable		
Acute toxicity (dermal)		Not Applicable		
Acute toxicity (inhalation)		Not Applicable		
Skin corrosion/irritation		Not Applicable		
Serious eye damage/irritation	2	Causes serious eye irritation.		
Respiratory sensitization		Not Applicable		
Skin sensitization	1	May cause an allergic skin reaction.		
Germ cell mutagenicity		Not Applicable		
Carcinogenicity	2	Suspected of causing cancer.		
Reproductive toxicity		Not Applicable		
STOT-single exposure		Not Applicable		
STOT-repeated exposure		Not Applicable		
Aspiration hazard		Not Applicable		

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
2-Butanone oxime - (96-29-7)	320.00, Leuciscus idus	500.00, Daphnia magna	
			83.00 (72 hr), Scenedesmus subspicatus

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment



SDS Revision Date:

01/07/2018

Air Class: Not Applicable

International Corporation

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface

Transportation)Not Applicable

14.1. UN number

14.2. UN proper shipping

name

14.3. Transport hazard

class(es)

DOT Hazard Class: Not

Applicable

DOT Label: ---

Not Regulated

14.4. Packing group Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean ICAO/IATA Transportation)

Not Regulated Not Regulated Not Regulated Not Regulated

IMDG: Not Applicable

Sub Class: Not Applicable

Not Applicable Not Applicable

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification D2A

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes
Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs:

SAF-T-LOK

SDS Revision Date:

01/07/2018

International Corporation

(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous:

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:

(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

(No Product Ingredients Listed)

Penn RTK Substances (>1%):

(No Product Ingredients Listed)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

End of Document