Safety Data Sheet RTV SILICONE RED



SDS Revision Date:

11/07/2018

International Corporation

| 1. Identification | | | | |
|--|---|--|--|--|
| 1.1. Product identifier | | | | |
| Product Identity | RTV Silicone Red | | | |
| Alternate Names | 73622, 73663, 73648, 73679 | | | |
| 1.2. Relevant identified uses of the substance of | r mixture and uses advised against | | | |
| Intended use | Silicone Sealant. | | | |
| Application Method | See Technical Data Sheet. | | | |
| 1.3. Details of the supplier of the safety data she | et | | | |
| Company Name | SAF-T-LOK International Corporation 300 EISENHOWER LANE NORTH | | | |
| | LOMBARD, IL 60148 | | | |
| Emergency | | | | |
| CHEMTREC (USA) | (800) 424-9300 | | | |
| 24 hour Emergency Telephone No. | (703) 527-3887 | | | |
| Customer Service: SAF-T-LOK International Corporation | (630) 495-2001 | | | |

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Repr. 2;H361FSuspected of damaging fertility.**2.2. Label elements**



H361f Suspected of damaging fertility.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust / fume/ mist / vapors / spray.



SDS Revision Date:

11/07/2018

International Corporation

P262 Do not get in eyes, on skin, or on clothing.

P281 Use personal protective equipment as required.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P308+313 IF exposed or concerned: Get medical advice / attention.

P331 Do NOT induce vomiting.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|------------|---|-------|
| Distillates (petroleum), hydrotreated middle CAS Number: 0064742-46-7 | 1 - 5 | Asp. Tox. 1;H304 Skin Irrit. 2;H315 | [1] |
| Methyltriacetoxysilane CAS Number: 0004253-34-3 | 1 - 5 | Acute Tox. 4;H302 Skin Corr. 1B;H314 | [1] |
| Silanetriol, ethyl-, triacetate CAS Number: 0017689-77-9 | 1 - 5 | Acute Tox. 4;H302 Skin Corr. 1B;H314 | [1] |
| Cyclotetrasiloxane, octamethyl- CAS Number: 0000556-67-2 | 0.10 - 1.0 | Repr. 2;H361f Aquatic Chronic 4;H413 | [1] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

| General | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
|------------|--|
| Inhalation | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| Eyes | Remove contacts if present. Irrigate copiously with clean water for at least 15 |



SDS Revision Date:

11/07/2018

International Corporation

| Skin | minutes, holding the eyelids apart and seek medical attention. Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. |
|--------------------|--|
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |
| 4.2 Moot important | averations and affects, both couts and delayed |

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available. Treat symptomatically. Suspected of damaging fertility.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Water fog, foam, carbon dioxide and dry chemical.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: This product reacts with water, moisture, or humid air to evolve following compounds. Acetic acid. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon dioxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

By heating and fire, harmful vapors / gases may be formed. Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots and self-contained breathing apparatus. Move containers from fire area if you can do so without risk.

Do not breathe dust / fume/ mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

ERG Guide No. ---



SDS Revision Date:

11/07/2018

International Corporation

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Eliminate sources of ignition.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth). Clean surface thoroughly to remove residual contamination.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Provide adequate ventilation. Use care in handling/storage. Obtain special instructions before use. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Pregnant and breastfeeding women must not handle this product. Do not breathe mist or vapor. Avoid contact with eyes. Avoid contact with skin. Avoid long term exposure.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Stored locked up. Keep container tightly closed. Keep out of reach of children. Store in a cool dry place out of direct sunlight. Keep in original container.

Incompatible materials: Strong oxidizing agents. Water and moisture.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.



SDS Revision Date:

International Corporation

Section 8. Exposure controls and personal protection

8.1. Control parameters

| CAS No. | Ingredient | Source | Value | |
|--|---------------------------------|----------------------------|----------------------|--|
| 0000556-67-2 Cyclotetrasiloxane, | | OSHA | No Established Limit | |
| | octamethyl- | ACGIH | No Established Limit | |
| | | NIOSH | No Established Limit | |
| 0004253-34-3 | Methyltriacetoxysilane | OSHA | No Established Limit | |
| | | ACGIH No Established Limit | | |
| | NIOSH | No Established Limit | | |
| 0017689-77-9 Silanetriol, ethyl-, triacetate | Silanetriol, ethyl-, triacetate | OSHA | No Established Limit | |
| | | ACGIH | No Established Limit | |
| | | NIOSH | No Established Limit | |
| 0064742-46-7 | Distillates (petroleum), | OSHA | No Established Limit | |
| hydrotre | hydrotreated middle | ACGIH | No Established Limit | |
| | | NIOSH | No Established Limit | |

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

8.2. Exposure controls

| Respiratory | If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. |
|----------------------|---|
| Eyes | Wear tightly sealed safety glasses. An eye wash station is suggested as a good workplace practice. |
| Skin | Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used. |
| Engineering Controls | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |
| Other Work Practices | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |
| | |

See section 2 for further details.



SDS Revision Date:

11/07/2018

International Corporation

Section 9. Physical and chemical properties

Red Paste

9.1. Information on basic physical and chemical properties

| Appearance | |
|------------|--|
|------------|--|

Odor Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits

Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) VOC Content Relative Density 9.2. Other information No other relevant information. Acetic acid Not determined Not Available Not Available Not Available 141.8 °F (> 96 °C) Closed cup < 1 (Butyl Acetate = 1) Not Applicable Lower Explosive Limit: Not Available Upper Explosive Limit: Not Available (mm Hg.): Negligible (25°C) (Air = 1): >1 1.04 Not Soluble Not Measured Not Measured Not Measured Not Measured 30 grams per liter 1.04 (25 °C)



SDS Revision Date:

11/07/2018

International Corporation

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizing agents. Water and moisture.

10.6. Hazardous decomposition products

This product reacts with water, moisture, or humid air to evolve following compounds. Acetic acid. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon dioxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|---|--------------------------------------|---------------------------------------|---|--------------------------------|
| Distillates (petroleum), hydrotreated middle - (64742-46-7) | > 5,000.00, Rat - Category: NA | | | | |
| Methyltriacetoxysilane - (4253-34-3) | 1,600, Rat - Category: 4 | | | | |
| Silanetriol, ethyl-, triacetate - (17689-77-9) | 1,460.00, Rat - Category: 4 | | | | |
| Cyclotetrasiloxane, octamethyl (556-67-2) | 2,000.00, Rat - Category: 4 | 4,640.00, Rabbit - Category: 5 | 36.00, Rat - Category: NA | | |



SDS Revision Date:

International Corporation

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|---------------------------------|--------|---|
| 0000556-67-2 | Cyclotetrasiloxane, | OSHA | Regulated Carcinogen: No |
| | octamethyl- | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0004253-34-3 | Methyltriacetoxysilane | OSHA | Regulated Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0017689-77-9 | Silanetriol, ethyl-, triacetate | OSHA | Regulated Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0064742-46-7 | Distillates (petroleum), | OSHA | Regulated Carcinogen: No |
| | hydrotreated middle | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

| Classification | Category | Hazard Description |
|-------------------------------|----------|----------------------------------|
| Acute toxicity (oral) | | Not Applicable |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | | Not Applicable |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | 2 | Suspected of damaging fertility. |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |



SDS Revision Date:

11/07/2018

International Corporation

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity**

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|---|-----------------------------------|-------------------------------|-------------------------|
| Distillates (petroleum), hydrotreated middle - (64742-46-7) | 54.00, Jordanella floridae | 68.00, Daphnia magna | Not Available |
| Methyltriacetoxysilane - (4253-34-3) | 501.00, Danio rerio | 501.00, Daphnia magna | 660.00 (96 hr), Algae |
| Silanetriol, ethyl-, triacetate - (17689-77-9) | 10,000.00, Pimephales promelas | 168.70, Daphnia magna | 1,200.00 (96 hr), Algae |
| Cyclotetrasiloxane, octamethyl (556-67-2) | 200.00, Leuciscus idus | 25.20, Daphnia magna | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Bio Accumulation Factor (BCF): 12,400 flathead minnow (in Cyclotetrasiloxane, octamethyl- < 1%)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



SDS Revision Date:

11/07/2018

International Corporation

Section 14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA | | |
|-------------------------------------|--|--|------------------------------|--|--|
| 14.1. UN number | Not Regulated | Not Regulated | Not Regulated | | |
| 14.2. UN proper shipping | Not Regulated | Not Regulated | Not Regulated | | |
| name | | | | | |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable | | |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable | | |
| 14.5. Environmental hazards | | | | | |
| IMDG Mari | Marine Pollutant: No; | | | | |
| 14.6. Special precautions for user | | | | | |
| No fu | urther information | | | | |

Section 15. Regulatory information

| Regulatory Overview | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. |
|--|---|
| Toxic Substance Control Act (TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory. |

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



SDS Revision Date:

11/07/2018

International Corporation

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

SDS Revision Date 11/07/2018

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H361f Suspected of damaging fertility.

H413 May cause long lasting harmful effects to aquatic life.

The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

End of Document